

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	Atty. Docket
JEROEN A.L.J. RAAYMAKERS	PHNL 020233
SERIAL NO.: 10/509,453	GROUP ART UNIT: 2627
FILED: September 28, 2004	EXAMINER: P.H. Gupta
METHOD AND DEVICE FOR PERFORMING TILT CORRECTION USING MULTI-DIMENSIONAL ACTUATOR	
Commissioner for Patents	
P.O. Box 1450	
Alexandria, VA 22313-1450	

Sir:

RESPONSE

This is in response to the Office Action mailed December 12, 2007, enclosing a Notification of Non-Compliant Appeal Brief (37 CFR 41.37). In particular, this Notification indicated "The brief does not contain a correct copy of the appealed claims as an appendix thereto (37 CFR 41.37(c)(1)(viii)).

Applicant has reviewed a copy of the filed Appeal Brief and note that the only anomalies uncovered were the inclusion of allowed claim 7, allowable claim 17, and the listing of cancelled claim 13.

Enclosed herewith is a revised Appeal Brief in which these claims have been cancelled from the Claims Appendix.

Respectfully submitted,

by /Edward W. Goodman/
Edward W. Goodman, Reg. 28,613
Attorney
Tel.: 914-333-9611